

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(printer\$5 copy adj2 machine\$2 imag\$5 adj2 form\$5 adj2 apparatus\$2) near4 calibrat\$5)) same (lightness\$5 L) adj2 value\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 17:43
		(printer\$5 copy adj2 machine\$2 imag\$5 adj2 form\$5 adj2 apparatus\$2) near4 calibrat\$5) same (lightness\$5 L) adj2 value\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 17:43
L1	2	((printer\$5 copy adj2 machine\$2 imag\$5 adj2 form\$5 adj2 apparatus\$2) near4 calibrat\$5) with least\$2 adj2 (value\$2 range\$2 color\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 12:29
L2	2	((printer\$5 copy adj2 machine\$2 imag\$5 adj2 form\$5 adj2 apparatus\$2) near4 calibrat\$5) with least\$2 adj2 (value\$2 range\$2 color\$2 gamut\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 12:29
L3	1	((printer\$5 copy adj2 machine\$2 imag\$5 adj2 form\$5 adj2 apparatus\$2) near4 calibrat\$5) with (less\$2) adj2 (value\$2 range\$2 color\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 12:30
L4	5	((printer\$5 copy adj2 machine\$2 imag\$5 adj2 form\$5 adj2 apparatus\$2) with calibrat\$5) with (less\$2) adj2 (value\$2 range\$2 color\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 12:56
L5	688	((printer\$5 copy adj2 machine\$2 imag\$5 adj2 form\$5 adj2 apparatus\$2) with calibrat\$5) with system\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 12:57
L6	33	((printer\$5 copy adj2 machine\$2 imag\$5 adj2 form\$5 adj2 apparatus\$2) with calibrat\$5) with system\$2 with least	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 13:14
L7	2	("6256111").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 13:14
L8	3	("6256111").URPN.	USPAT	OR	ON	2005/10/20 13:21

L9	0	(determin\$5 adj2 gamut\$5) with (plural\$5 multipl\$5) adj2 (printer\$5 image adj1 form\$5 adj2 apparatus\$5 copy adj2 machine\$2)	USPAT	OR	ON	2005/10/20 13:22
L10	0	(determin\$5 with gamut\$5) with (plural\$5 multipl\$5) adj2 (printer\$5 image adj1 form\$5 adj2 apparatus\$5 copy adj2 machine\$2)	USPAT	OR	ON	2005/10/20 13:22
L11	4	(determin\$5 with gamut\$5) with (plural\$5 multipl\$5) with (printer\$5 image adj1 form\$5 adj2 apparatus\$5 copy adj2 machine\$2)	USPAT	OR	ON	2005/10/20 14:32
L12	2	("6185004").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:11
L13	15056	(358/1.1, 358/1.9, 358/1.11-1. 16).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:11
S1	2	("6404511").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:25
S2	2	("20020140985").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 17:38
S3	2	("20020149786").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:28
S4	2	("20030058459").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:28
S5	10	(least\$5 near4 dynamic\$5 near4 printer\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 15:28

S6	0	(printer\$5 adj2 calibration\$5) with target\$5 near4 lightness\$5 adj2 value\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 17:39
S7	0	(printer\$5 adj2 calibration\$5) with target\$5 near4 (lightness\$5 L) adj2 value\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 17:39
S8	1	(printer\$5 adj2 calibration\$5) with (lightness\$5 L) adj2 value\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 17:41
S9	2	(printer\$5 adj2 calibration\$5) same (lightness\$5 L) adj2 value\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 17:42
S10	3	((printer\$5 copy adj2 machine\$2 imag\$5 adj2 form\$5 adj2 apparatus\$2) near4 calibrat\$5) same (lightness\$5 L) adj2 value\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 17:48
S11	0	((printer\$5 copy adj2 machine\$2 imag\$5 adj2 form\$5 adj2 apparatus\$2) near4 calibrat\$5) with (highest\$5 near4 lightness\$5 adj4 value\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 17:49
S12	7	((printer\$5 copy adj2 machine\$2 imag\$5 adj2 form\$5 adj2 apparatus\$2) near4 calibrat\$5) with "L"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/19 17:49
S13	1	((printer\$5 copy adj2 machine\$2 imag\$5 adj2 form\$5 adj2 apparatus\$2) near4 calibrat\$5) with "L" near2 value\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 12:27